




CLEAR HOSE WITH STEEL WIRE



Alias: PVC steel suction hoses, steel Spiral Reinforced PVC Suction Hoses, water suction hoses with steel wire, PVC Suction and discharge hoses, steel reinforced PVC hoses.

Application: Very ideally for conveying water, oil and powder, abrasive mineral sands, gravel, cement, chips, shavings, construction, agricultural and industrial service applications.

Construction: Wall-high quality special material, Reinforcement – Steel Spiral.

Temperature Range: -10°C to +65°C

Size	ID	OD	Weight	Length
inch	mm	mm	Kg/m	m
5/16"	8	13	0.13	100
5/16"	8	15	0.20	100
3/8"	9	15	0.19	100
3/8"	9	16	0.21	100
1/2"	12	18	0.22	100
1/2"	13	18	0.19	100

For more information, please contact: TechnoS Multiline LLC, Dubai, UAE

Tel: +971 (4)2237116 / 04-2223670 / 04-2237119 | Fax: +971 (4) 2279959 | Mobile: +971 (50) 6744049

Email: info@technos-me.com / tecmulti@eim.ae Website: www.technos-me.com

1/2"	13	19	0.23	100
5/8"	15	22	0.30	50
5/8"	16	22	0.27	50
5/8"	16	23	0.33	50
3/4"	19	24	0.26	50
3/4"	19	25	0.31	50
3/4"	19	26	0.35	50
3/4"	19	28	0.50	50
1"	25	29	0.26	50
1"	25	30	0.33	50
1"	25	31	0.40	50
1"	25	32	0.48	50
1"	25	33	0.54	50
1-1/4"	32	38	0.50	40
1-1/4"	32	39	0.60	40
1-1/4"	32	40	0.70	40
1-1/4"	32	41	0.76	40
1-1/2"	38	44	0.60	40
1-1/2"	38	45	0.70	40
1-1/2"	38	46	0.80	40
1-1/2"	38	48	1.05	40
1-5/8"	40	47	0.73	40
1-5/8"	40	49	0.96	40
1-3/4"	45	53	0.90	40
1-3/4"	45	55	1.35	40
1-3/4"	45	56	1.33	40
1-3/4"	45	57	1.46	40
2"	50	58	1.00	40
2"	50	59	1.30	40
2"	50	60	1.30	40
2"	50	61	1.44	40
2"	50	62	1.60	40
2"	51	60	1.20	40
2"	51	61	1.34	40
2"	51	62	1.48	40

2"	51	63	1.63	40
2-5/16"	58	68	1.50	30
2-5/16"	58	69	1.67	30
2-5/16"	58	70	1.83	30
2-3/8"	60	70	1.55	30
2-3/8"	60	71	1.72	30
2-3/8"	60	72	1.89	30
2-3/8"	60	73	2.00	30
2-3/8"	60	74	2.24	20
2-1/2"	64	74	1.65	20
2-1/2"	64	75	1.82	20
2-1/2"	64	78	2.37	20
3"	75	84	1.80	20
3"	75	85	1.90	20
3"	75	86	2.10	20
3"	75	87	2.30	20
3"	75	90	2.90	20
3-1/2"	89	99	2.50	20
3-1/2"	89	101	2.70	20
3-1/2"	90	102	2.75	20
3-1/2"	90	104	3.20	20
4"	102	112	3.00	20
4"	102	114	3.50	20
4"	102	118	4.80	20
4"	102	120	5.09	20
4"	102	122	5.40	20
4-1/4"	110	123	3.60	20
4-1/4"	110	124	3.90	20
4-1/4"	110	127	4.80	20
5"	127	143	6.00	10
5"	127	144	6.20	10
6"	152	168	6.50	10
6"	152	170	9.00	10
8"	200	220	11.00	10